

WHAT IS CLAIMED IS:

1. A method for performing speaker verification based on speaker independent recognition of commands, the method comprising:

- 5 receiving an utterance from a speaker;
identifying a command associated with the utterance by performing speaker independent recognition (SIR);
eliminating a prompt for a password if a speaker verification template associated with the identified
10 command includes adequate verification data; and
verifying the speaker identity by comparing the utterance with the speaker verification template associated with the identified command.

- 15 2. The method of Claim 1, further comprising recording speaker dependent voice patterns associated with the utterance to create the speaker verification template.

- 20 3. The method of Claim 1, further comprising:
recording speaker dependent voice patterns associated with the utterance to create the speaker verification template; and
executing the identified command if the utterance
25 matches the speaker verification template.

4. The method of Claim 1, further comprising:
prompting the speaker to enter a password if the utterance does not match the speaker verification
30 template; and
verifying the speaker identity based on the password.

075017 123000

5. The method of Claim 1, further comprising:
prompting the speaker to enter a password if the
utterance does not match the speaker verification
template;

5 verifying the speaker identity based on the
password;

recording speaker dependent voice patterns
associated with the utterance to create the speaker
verification template; and

10 executing the identified command.

6. The method of Claim 1, further comprising:
prompting the speaker for a password if the speaker
verification template associated with the identified
15 command does not comprise adequate verification data; and
verifying the speaker identity based on the
password.

7. The method of Claim 1, further comprising:
20 prompting the speaker for a password if the speaker
verification template associated with the identified
command does not comprise adequate verification data;
verifying the speaker identity based on the
password;

25 recording speaker dependent voice patterns
associated with the utterance to create the speaker
verification template; and

repeating the prompting, verifying and recording
steps until the speaker verification template associated
30 with the identified command comprises adequate
verification data.

062891.0497

8. A speaker verification unit, comprising:
a network interface operable to couple to a communication network;

a database coupled to the network interface, the
5 database comprising a plurality of speaker verification templates associated with a plurality of commands; and

a processing module coupled to the network interface, the processing module operable to:

receive a command from a speaker;
10 identify the command by performing speaker independent recognition (SIR);

eliminate a prompt for a password if a speaker verification template associated with the identified command includes adequate verification data; and

15 verify a speaker identity by comparing the identified command with the speaker verification template associated with the identified command.

9. The speaker verification unit of Claim 8,
20 wherein the processing module is further operable to:

record speaker dependant voice patterns associated with the identified command; and

store the speaker dependent voice patterns in the database to create the speaker verification template
25 associated with the identified command.

10. The speaker verification unit of Claim 8, further comprising a service interface operable to couple to a server comprising a plurality of services associated
30 with the commands.

062891.0497

11. The speaker verification unit of Claim 10, wherein the processing module is further operable to:

record speaker dependent voice patterns associated with the identified command;

5 store the speaker dependent voice patterns in the database to create the speaker verification template associated with the identified command; and

access a service associated with the identified command from the server.

10

12. The speaker verification unit of Claim 8, wherein:

the database further comprises a password associated with the speaker; and

15 the processing module is further operable to:

prompt the speaker to enter the password if the identified command does not match the speaker verification template;

compare the entered password with the password
20 stored in the database; and

verify the speaker identity if the entered password matches the password stored in the database.

062891.0497

13. The speaker verification unit of Claim 8,
wherein:

the database further comprises a password associated
with the speaker; and

5 the processing module is further operable to:

prompt the speaker to enter the password if the
identified command does not match the speaker
verification template;

10 compare the entered password with the password
stored in the database;

verify the speaker identity if the entered
password matches the password stored in the database;

record speaker dependent voice patterns
associated with the identified command; and

15 store the speaker dependent voice patterns in
the database to create the speaker verification template
associated with the identified command.

14. The speaker verification unit of Claim 8,
20 wherein:

the database further comprises a password associated
with the speaker; and

the processing module is further operable to:

25 prompt the speaker to enter the password if the
speaker verification template does not comprise adequate
verification data;

compare the entered password with the password
stored in the database; and

30 verify the speaker identity if the entered
password matches the password stored in the database.

062891.0497

15. The speaker verification unit of Claim 8,
wherein:

the database further comprises a password associated with the speaker; and

5 the processing module is further operable to:

prompt the speaker to enter the password if the speaker verification template does not comprise adequate verification data;

```

compare the entered password with the password
10 stored in the database;

```

```

        verify the speaker identity if the entered
password matches the password stored in the database;

```

record speaker dependant voice patterns
associated with the identified command; and

```

15         store the speaker dependent voice patterns in
the database to create the speaker verification template
associated with the identified command.

```

16. The speaker verification unit of Claim 8,
20 wherein the command is selected from the group consisting
essentially of call, store, access, forward, or redial.

17. Logic encoded in media for performing speaker verification based on speaker independent recognition of commands and operable to perform the following steps:

- receiving an utterance from a speaker;
- 5 identifying a command associated with the utterance by performing speaker independent recognition (SIR);
- eliminating a prompt for a password if a speaker verification template associated with the identified command includes adequate verification data; and
- 10 verifying the speaker identity by comparing the utterance with the speaker verification template associated with the identified command.

18. The logic encoded in media of Claim 17, further comprising:

- 15 recording speaker dependent voice patterns associated with the utterance to create the speaker verification template; and
- executing the identified command if the utterance
- 20 matches the speaker verification template.

062891.0497

19. The logic encoded in media of Claim 17, further comprising:

prompting the speaker to enter a password if the utterance does not match the speaker verification
5 template;

verifying the speaker identity based on the password;

recording speaker dependent voice patterns associated with the utterance to create the speaker
10 verification template; and

executing the identified command.

20. The logic encoded in media of Claim 17, further comprising:

15 prompting the speaker for a password if the speaker verification template associated with the identified command does not comprise adequate verification data;

verifying the speaker identity based on the password;

20 recording speaker dependent voice patterns associated with the utterance to create the speaker verification template; and

repeating the prompting, verifying and recording steps until the speaker verification template associated
25 with the identified command comprises adequate verification data.

062891.0497

21. An apparatus for performing speaker verification based on speaker independent recognition of commands:

means for receiving an utterance from a speaker;

5 means for identifying a command associated with the utterance by performing speaker independent recognition (SIR);

means for eliminating a prompt for a password if a speaker verification template associated with the identified command includes adequate verification data; and

means for verifying the speaker identity by comparing the utterance with the speaker verification template associated with the identified command.

15

22. The apparatus of Claim 21, further comprising:

means for recording speaker dependent voice patterns associated with the utterance to create the speaker verification template; and

20

means for executing the identified command if the utterance matches the speaker verification template.

0752047 40000

23. The apparatus of Claim 21, further comprising:
- means for prompting the speaker for a password if the speaker verification template associated with the identified command does not comprise adequate verification data;
 - means for verifying the speaker identity based on the password;
 - means for recording speaker dependent voice patterns associated with the utterance to create the speaker verification template; and
 - means for repeating the prompting, verifying and recording steps until the speaker verification template associated with the identified command comprises adequate verification data.

062891.0497